



Quality Assured • Well-Communicating • Safety First • Customer Satisfying Company

BALANCE COMPENSATION

High-End, Cutting Edge Quality
Competitive Price

ISO 9001 Certified
Manufacturing Management System

SUPERIOR ELEVATOR PARTS



KUKJE CHAIN CO., LTD.

NFC(Neo Flex Chain)

KJC BALANCE COMPENSATING CHAINS

NEO FLEX CHAIN (WHISPER)



PRODUCT

NFC is the Korean elevator compensation that helps elevator function safely and smoothly.

FEATURE

It is specially made of low-carbon chain and flexible and harmless PVC compound.

- 1) Noiseless
- 2) Excellent Flexibility
- 3) High Fire Retardant and Cold Resistance (-15°C~+60°C)
- 4) Great Aging-resistant
- 5) Used Elevator speed more than 1.75m/s,
- 6) Excellent for high-rise apartment and buildings, high-rise multiplex commercial buildings, and view-looking elevators.

NFC Parts




NFC
(Neo Flex Chain)



- 1) Roller Guide
- 2) U-Bolt Set
- 3) Swivel

Installation Guide



NFC
(Neo Flex Chain)

→NFC Specifications

NFC(Neo Flex Chain)			
P.N	Curve (mm)	Weights (kg/m)	Breaking Load (kg)
NFC-75	370±50	1,1±0,2kg/m	1000Kg
NFC-100	500±50	1,48±0,2kg/m	1800Kg
NFC-120	510±50	1,8±0,2kg/m	1850Kg
NFC-150	510±50	2±0,2kg/m	2500Kg
NFC-200	510±50	2,7±0,2kg/m	3000Kg
NFC-250	510±50	3,7±0,2kg/m	3100Kg
NFC-300	550±50	4±0,2kg/m	3800Kg

NRC(Neo Reforming Chain)

KJC BALANCE COMPENSATING CHAINS

NEO REFORMING CHAIN (COATING)



PRODUCT

NRC is the Korean elevator compensation chain that helps elevator function safely and smoothly.

FEATURE

It is specially made of low-carbon chain and flexible and harmless PVC compound.

- 1) Noiseless
- 2) Excellent Flexibility
- 3) High Fire Retardant and Cold Resistance (-30°C~+60°C)
- 4) Great Aging-resistant
- 5) Used Elevator speed less than 1.75m/s,
- 6) Excellent for high-rise apartment and buildings, high-rise multiplex commercial buildings, and view-looking elevators.

NRC Parts




NRC
(Neo Reforming Chain)



- 1 Roll Brush
- 2 U-Bolt Set
- 3 Swivel

NRC
(Neo Reforming Chain)

Installation Guide



→NRC Specifications

NRC(Neo Reforming Chain)			
P.N	Curve (mm)	Weights (kg/m)	Breaking Load (kg)
NRC-6	280±50	0,85±0,2kg	1000kg
NRC-7	280±50	1,2±0,2kg	1200kg
NRC-8	300±50	1,4±0,2kg	1400kg
NRC-9	300±50	1,8±0,2kg	1600kg
NRC-10	300±50	2,0±0,2kg	1800kg
NRC-11	300±50	2,7±0,2kg	2000kg
NRC-12	310±50	3,2±0,2kg	2200kg



Customizable

Link Chains

STEEL/ STAINLESS STEEL/ CHAIN BLOCK HAND



Link Chains



Customizable Link Chain

- ① Steel Link Chain
- ② Stainless Steel Link Chain
- ③ Chain Block Hand Chain

Steel Link		Stainless Steel	
SIZE	Quantity/Bag	SIZE	Quantity/Bag
5mm	60M (30M X 2)	5mm	60M (30M X 2)
6mm	60M (30M X 2)	6mm	60M (30M X 2)
7mm	30M (30M X 1)	7mm	30M (30M X 1)
7mm(L)	30M (30M X 1)	8mm	30M (30M X 1)
8mm	30M (30M X 1)	9mm	20M (20M X 1)
9mm	15M (15M X 1)	10mm	15M (15M X 1)
10mm	15M (15M X 1)	12mm	15M (15M X 1)
12mm	15M (15M X 1)		

Chain Block Hand	
SIZE	Quantity/Bag
5mm (23,5 X 9)	60M(30M x2)
5mm (22,5 X 8)	60M(30M x2)

Customizable Link Chain

All chains are customizable as requested

BUILT CONNECTED STRONG



FOR JOYFUL RIDE

Approvals and Certifications



KUKJE CHAIN CO., LTD.

64-11 Seokchunro 453 Bungil Ohjung-gu Bucheon-si Gyeonggi-do , Republic of Korea
PHONE +82-32-671-0901, +82-32-681-4311 | FAX +82-32-681-4310 | E-MAIL kjc@kjchain.com